


10 kW | 34 000 Btu

## EE150

Compact Tank Pump



**120 l/h**  
31,7 gal/h



**1,5 m**  
4,9 ft



**29 db(A) DIN EN 3745**  
~ < 23 db(A) DIN EN 3744

### Description

The EE150 is specifically designed for the removal of condensate from air conditioning systems, refrigerated display cases, dehumidifiers, and evaporator coils. Its durable housing is made from impact-resistant ABS material, ensuring long-lasting performance and reliability.


### Usage

This pump is ideal for a wide range of applications where efficient condensate removal is required, such as in air conditioners, refrigerated showcases, and dehumidifiers. Its compact design makes it suitable for tight installation spaces without compromising performance.

### Special features

- Centrifugal pump with a 1.5 m power cable
- Integrated check valve
- Compact design

### Performance





## Technical data

For air conditioners up to [kW]	10
Drive	Centrifugal pump
Mains voltage & frequency	230V, 50/60Hz
Power consumption [W]	Operation: 48   Standby: 0
Max. flow rate [l/h]	120
Max. delivery height [m]	1,5
Tank capacity [l]	0,2
Pump unit L x W x H [mm]	165 x 65 x 85
Pressure hose [mm]	8 x 2



## Inside the box

- Pump
- 2x screws and 2x dowels for fixing
- Silicon hose
- Kink protection